

- Fe(II) and Fe(III) in the dissolution of Fe(III) minerals and pyrite, respectively. *Marine Chemistry*, 40: 81–103.
- MILLS, H. J., R. J. MARTINEZ, S. STORY & P. A. SOBECKY. 2004. Identification of members of the metabolically active microbial populations associated with *Beggiatoa* species. *Applied & Environmental Microbiology*, 70: 5447–5458.
- MUÑOZ-REINOSO, J. C. 2001. Vegetation changes and groundwater abstraction in SW Doñana, Spain. *Journal of Hydrology*, 242: 197–209.
- MURPHY, J. & J. P. RILEY. 1962. A modified single solution method for the determination of soluble phosphate in natural waters. *Analytica Chimica Acta*, 27: 31–36.
- MUYZER, G., E. C. DE WAAL & A. G. UITTERLINDEN. 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied & Environmental Microbiology*, 59: 695–700.
- NELSON, Y. M., L. W. LION, M. L. SHULER & W. C. GHIORSE. 1999. Lead binding to metal oxide and organic phases of natural aquatic biofilms. *Limnology & Oceanography*, 44: 1715–1729.
- NEUBAUER, S. C., D. EMERSON & J. P. MEGONIGAL. 2002. Life at the energetic edge: Kinetics of circumneutral iron oxidation by lithotrophic iron-oxidizing bacteria isolated from the wetland-plant rhizosphere. *Applied & Environmental Microbiology*, 68: 3988–3995.
- PORTILLO, M. C. & J. M. GONZÁLEZ. 2008. Statistical differences between molecular fingerprints from microbial communities. *Antonie van Leeuwenhoek*, 94: 157–163.
- PORTILLO, M. C., M. REINA, L. SERRANO, C. SAIZ-JIMENEZ & J. M. GONZÁLEZ. 2008. Role of specific microbial communities on the bioavailability of iron in the Doñana National Park. *Environmental Geochemistry & Health*, 30: 165–170.
- RENTZ, J. A., C. KRAIYA, G. W. LUTHER III & D. EMERSON. 2007. Control of ferrous iron oxidation within circumneutral microbial iron mats by cellular activity and autocatalysis. *Environmental Science & Technology*, 41: 6084–6089.
- REVSBECH, N. P. 2005. Analysis of microbial communities with electrochemical microsensors and microscale biosensors. *Methods in Enzymology*, 397: 147–66.
- SACKS, L. A., J. S. HERMAN, L. F. KONIKOW & A. L. VELA. 1992. Seasonal dynamics of groundwater-lake interactions at Doñana National National Park, Spain. *Journal of Hydrology*, 136: 123–154.
- SERRANO, L., M. REINA, G. MARTÍN, I. REYES, A. ARECHEDERRA, D. LEÓN & J. TOJA. 2006. The aquatic systems of Doñana. *Limnetica*, 25: 11–32.
- SHAKED, Y., Y. EREL & A. SUKENIK. 2004. The biogeochemical cycling of iron and associated elements in Lake Kinneret. *Geochimica Cosmochimica Acta*, 68: 1439–1451.
- SILJESTRÖM, P. & L. E. CLEMENTE. 1990. Geomorphology and soil evolution of a moving dune system in south-west Spain (Doñana National Park). *Journal of Arid Environmental*, 18: 139–159.
- SOBOLEV, D. & E. E. RODEN. 2004. Characterization of a neutrophilic, chemolithotrophic Fe (II)-oxidizing β -Proteobacterium from freshwater wetland sediments. *Geomicrobiology Journal*, 21: 1–10.
- SOROKIN, Y. I. 1999. *Aquatic Microbial Ecology*. Backhuys Publishers, Leiden. The Netherlands.
- STUMM, W. & B. SULZBERGER. 1992. The cycling of iron in natural environments: considerations based on laboratory studies of heterogeneous redox processes. *Geochimica Cosmochimica Acta*, 56: 3233–3257.
- SULZBERGER, B., D. SUTER, C. SIFFERT, S. BANWART & W. STUMM. 1989. Dissolution of Fe(III) (hydr)oxides in natural waters; laboratory assessment of the kinetics controlled by surface coordination. *Marine Chemistry*, 28: 127–144.
- TROLARD, F. 2006. Fougerite: From field experiment to the homologation of the mineral. *Comptes Rendues Geoscience*, 338: 1158–1166.